



Application Development with Lotus Domino Designer

Note: Before using this information and the product it supports, read the information in "Notices" at the end of this document.

First Edition (December, 2005)

This edition applies to IBM® Lotus® Domino® Designer 7 (product number L-GHUS-5RWNHM), and to all subsequent releases and modifications, until otherwise indicated in new editions.

© Copyright International Business Machines Corporation 1994, 2005. All rights reserved.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Chapter 1. Introduction to Domino

Designer 1

Overview -- applications and databases 1

 Applications 1

 Databases 1

Starting Lotus Domino Designer 2

 To start Domino Designer from the Bookmark bar in the Notes client 2

 To start Domino Designer from a database in the Notes client. 2

 To start Domino Designer from the command line 2

Exploring Lotus Domino Designer 3

 Properties boxes 5

Creating a database 6

Displaying, collecting, and storing information 6

 Pages 6

 Forms and documents 7

 Fields 8

Organizing your data 9

 Views 9

 Folders 9

Creating navigation. 10

 Outlines 10

 Navigators. 11

Structuring your display 11

Adding automation. 11

 Actions 12

 Hotspots 12

 Agents 12

Sharing, locking, and editing design elements 12

 Editing multiple design elements 12

 Sharing resources across databases 12

 Locking documents and design elements 13

Autosaving Notes documents 13

 Enabling AutoSave in forms 13

 Enabling AutoSave in the Notes client 13

 Recovering documents saved with the AutoSave feature 14

 Other Autosave options 14

Extending access to applications 14

 Using third-party design tools 14

 Using WebDAV for remote development 15

 Accessing external data sources from a field 15

 Bringing an application off-line. 15

 Instant messaging colleagues 15

Communicating across platforms 15

 JavaServer pages 15

 XML. 16

Chapter 2. Planning an application. 17

Planning a Notes application 17

Planning a Notes and Web application 17

 Understanding the differences 17

 Tips for designing Notes and Web applications 18

Planning for integration with WebSphere and DB2 21

Planning a Web application 21

 Tips for designing Web applications 22

 Creating formulas and buttons for the Web. 22

Planning an application for mobile users 23

Hide-when options for all applications 23

 To set hide-when options on one or more elements according to client type 23

 To set hide-when options on individual elements according to context 23

HTML tag attributes for a Domino server 24

 HTML tag attributes 24

Domino applets 25

Designing an application for maximum accessibility 25

 Design considerations for accessible applications 25

Creating multilingual applications. 27

 Setting a default language and region 27

 Creating multilingual design elements 27

 Translating an application using IBM Domino Global Workbench 27

 Adding translation components to a Designer application 29

Table of Notes and Domino known limits 30

Chapter 3. Creating an application. 31

Creating databases 31

 Creating a database from a template 31

 Copying an existing Domino database 32

 To create a new database by copying an existing database 33

 To copy individual design elements 33

 To protect individual design elements 34

 Starting a database from scratch 34

Organizing your application. 35

 Creating a bookmark on the Bookmark bar 35

 Copying a design element to a new location 36

 Creating folders for bookmarks or design elements 36

Using toolbars 37

Enabling subscriptions. 37

Reducing database maintenance with shared code and shared resources 38

Sharing file resources 39

 To create a file resource 39

 To open a file resource. 39

 To refresh a file resource 40

 To prevent a file resource from being refreshed 40

 To copy a file resource to your computer 40

 To delete a file resource 40

 To set up a file resource for use on the Web 40

Creating an image resource 41

 To create a shared image resource 41

 To set image resource properties 41

 Basics tab 41

 Design tab. 41

 To colorize grays 42

To insert an image resource	42	To format a section	56
To insert an image resource from a file in the current database.	42	To delete a section	56
To rename an image resource	42	Creating links	57
To delete an image resource	42	To create a Named Element link	57
To reference an image resource with HTML	43	To copy and paste a link	57
To make design changes to an image resource.	43	To create a link using the properties box.	57
Exporting an image resource	43	To create a link to a document, view, anchor, or database	57
Distributing design changes for an image	43	To create a URL link	58
Creating a custom letterhead	43	Using graphics	58
Creating image resource sets.	43	Preparing graphics	58
To create a horizontal image set	44	Changing the color palette	59
To create a vertical image set	44	Adding graphics to a page, form, or subform	59
To use the image set on the Web	45	Changing the display properties of the graphic	60
Document locking	45	Adding a background color or graphic	60
To allow document locking	45	Adding an applet	61
To prevent document locking	45	Creating an attachment	61
Customizing twisties	45	Embedding elements	62
Previewing your design work	46	To embed an element	62
To preview in Notes or in the default Web browser using the menu	46	To delete an embedded element	62
To preview in Notes or in the default Web browser using the preview icons	46	Embedding a date picker	62
To set up a default browser for previewing.	47	Embedding an Instant Messaging Contact List.	63
To override proxy settings for additional browsers	47	Inserting a JavaScript library	63
Requirements for previewing your design work on the Web	47	To insert a JavaScript library in-line	63
Adding instant messaging to an application	47	To Insert a JavaScript Library into the JS Header:	63
Preventing users from accessing forms and views in a Web application	48	Using HTML on a page, form, or subform	63
To restrict users from opening parts of an application using URL commands	48	To convert pages, forms, or subforms into HTML	64
Chapter 4. Designing pages.	49	To import HTML	64
How pages compare to forms	50	To paste HTML	64
Creating pages	50	To enter HTML directly on a page, form, or subform	65
To create a page	50	To include some HTML on a page, form, or subform	65
To delete a page	51	Setting launch properties for pages or forms	65
Displaying a page	51	To set the launch property for a page.	65
Creating a home page for an application	52	To set the launch property for a form.	65
To set the home page to launch automatically	52	Layers	66
To specify a default home page for a Web server	52	Creating a layer	66
Styling text for the Web	52	Changing the position of a layer	67
Fonts	52	Changing the HTML properties of a layer	69
Size	53	Changing the background color and image for a layer.	69
Preserving spaces	53	Creating style sheets as shared resources	70
Text colors.	53	To create a new style sheet resource	70
Creating computed text	53	To insert a style sheet resource into a page, form, or subform	70
Example: Computed text	53	To edit a style sheet resource	71
Changing all text styles	54	To refresh a style sheet resource	71
Creating and formatting horizontal rules	54	Table of supported CSS properties.	71
To create a horizontal rule	54	Programming a page or form	73
To change the style of a horizontal rule	54	Adding HTML header information	73
Creating programmable tables	54	To add HTML header information.	73
How programmable tables work	55	Example: Adding HTML to the Head tag	73
To create a programmable table.	55	Adding JavaScript header information	73
Example: Creating hotspots to control a programmable table	55	To add JavaScript header information.	73
Creating sections	56	Example: Adding JavaScript header information	73
To create a section	56	Chapter 5. Designing forms.	75

To store a form with each document	78	Creating a layout region	91
Overriding the stored form	78	To create a layout region	91
Shared fields and documents with stored forms	78	To delete a layout region	92
Form formulas	78	Aligning and rearranging elements in a layout region	92
Designating a default form for a database	79	Changing the size and style of a layout region.	92
Alternatives to storing forms	79	Adding graphics to a layout region	92
Creating and deleting forms	79	Embedded controls	93
To create a new form	79	Creating an embedded file upload control	93
To copy an existing form	79	Creating an embedded scheduler	93
Special types of forms	79	Creating an embedded editor	96
To delete a form	79	Profile forms	97
Tips for designing forms	80	Creating a profile form	98
Naming forms	80	Forms that prompt users for input.	98
Name requirements.	80	Designing a form that presents a dialog box	99
Creating aliases	80	Guidelines for designing a form that presents a dialog box.	99
To add an alias	81	Designing a form that prompts users for information	100
Form names and keyboard shortcuts	81	Examples: Using @Prompt	100
Ordering forms on the Create menu	81	[YesNoCancel]	100
To create a cascading menu for Notes clients	81	[OkCancelEdit]	100
To move a form to the Create - Other menu in the Notes client	82	[OkCancelList]	100
To remove a form from the Create menu in the Notes client	82	Designing a form that lets users make selections from a view	100
To hide a form	82	Using @PickList	101
Making a form available to Web browsers	82	Example	101
To make a form available to Web users	82	Designing a form for a Domino billing application	101
Selected form properties	83	To specify which documents to track	101
To open the Form Properties box	83	Designing a form for contact printing	101
Protecting author/editor anonymity	83	Example	104
Changing form focus	83	Customizing the "Form processed" confirmation for Web users	105
Handling replication conflicts	83	To add users' names to the response	105
Opening documents in edit mode automatically	83	To link to another page	105
Choosing a content type for Web access	84	To display a different Web page	105
Generating HTML for hidden fields	84	Displaying a customized error message on the Web	105
Using data sources on a form	84	Adding the message field	105
To define a header on a form	84	Customizing search forms	106
To display a graphic in a header	85	Customizing search input forms	106
To create a print header and footer	85	Searching for Header Information (search by Date Created or Modified)	107
Header and footer alignment	85	Customizing Domain search results forms.	108
Creating a response hierarchy	85	How SearchResults and ResultEntry/DetailedResultEntry are used.	108
To create a response or response-to-response form.	86	Customizing Web SearchView results	109
To include a parent document in a new document	86	Using navigational buttons for paged results	110
Version tracking	86	Tips for improving document display time	111
To designate a form for version tracking.	86	Designing forms	111
Customizing a form's window title	88	Designing fields	111
To customize a form's window title	88	Testing a form before deploying it	112
Examples: Customizing window titles	88		
Title includes creation date and company name	88		
Title includes number of responses	88		
Response includes the subject	88		
Using subforms	89		
To create a subform.	89		
To insert a subform on a form	90		
To display a computed subform on a form	90		
Example of displaying a computed subform	90		
Deleting subforms	90		
To delete a subform from a form	90		
To delete a subform from a database	90		
Layout regions	91		

Chapter 6. Designing fields 113

Creating a single-use field	113
To copy fields	113
To delete fields	113
To convert a shared field to a single-use field	114
To convert a single-use field to a shared field	114
Creating a shared field	114
To create a shared field	114
To insert a shared field	114

To rename a shared field	114	To add HTML attributes using the Field	
To delete a shared field	115	Properties box:	139
To convert a single-use field to a shared field	115	To add HTML attributes using the field's HTML	
To create multiple shared fields for different		Attributes event:	139
languages	115	Storing HTML in a field	140
Field names and labels	116	Creating fields that inherit values	140
Naming a field	116	To create a field that inherits values from	
Renaming a field	116	another document	140
Field types	116	Example: Inheriting address information	140
Text, rich text, and rich text lite fields	117	To create a field that inherits an entire	
Displaying graphics, attachments, and objects in		document	141
a rich text field	117	To inherit information in a response hierarchy	141
Using rich text lite fields.	117	Standard fields used in templates	141
Rich text fields on the Web	118	Predefined fields with built-in functionality	142
Number fields	120	Reserved names for embedded elements	142
Numeric fields	120	Reserved fields for use in billing applications	142
Currency fields.	121	Reserved fields for general use	142
Date/Time fields	121	Internal fields on forms	143
Choosing a Date/Time format.	121	Reserved fields that control mailing options	143
To display a date	121	Table of fields that control mailing options	143
To display a time	122	Interactions with the Mail Send dialog box	144
Formulas for Date/Time fields	123	Interactions with the Document Save dialog box	144
Creating a graphical display for Date/Time		MailFormat	144
fields	124	MailOptions.	144
Names fields	125	SendTo	145
Looking up names for field values	126	Fields for version tracking	145
Lookup options	126	To create a computed \$VersionOpt field	145
Enabling a field for instant messaging	126	To create a choice list \$VersionOpt field	145
Readers and Authors fields.	126	Designing fields that prompt users to select folders	146
Creating fields to display lists of choices	127		
Generating choices for lists	128	Chapter 7. Designing framesets 147	
Use View dialog for choices	128	Creating a frameset	147
Examples: Creating a field to display a list of		Using the View menu with framesets	148
choices	129	Providing content for a frame	148
Creating a formula-generated list.	129	Setting the style for frames	149
Creating aliases for choices in a list	129	Specifying a target frame	151
Converting aliases to full category names	129	Launching a database into a frameset	152
Example: Using aliases for choices in a list	130	Launching a page or form into a frameset.	152
Password fields.	130	Launching a view or folder into a frameset	152
Example: Using an input translation formula	130		
Example: Using a QuerySave event	130	Chapter 8. Designing views 155	
Example 2: Using a QuerySave event	131	Folders	155
Formula fields	131	Standard outline views	155
Color fields	132	Displaying a view on the Web.	157
Time zone fields	133	Limits for views	157
Editable and computed fields	133	Calendar views.	157
Writing field formulas	133	Shared and private views	158
Computed field formulas	133	Shared views	158
To create a formula for the value of a computed		Shared, contains documents not in any folders	158
field	134	Shared, contains deleted documents	158
Editable field formulas	134	Shared, private-on-first-use views	159
Selected field properties.	135	Shared, desktop private-on-first-use views.	159
Hiding fields	137	Private views	159
Hiding options	137	Creating a standard outline view	159
To hide a field	137	Copying and deleting views	160
Creating a field in a layout region	138	To copy a view	160
To create a field in a layout region	138	To delete a view	160
To create a field label.	139	Creating a default design for new views	160
To resize a field	139	Designing folders	161
Adding HTML attributes to a field	139	Naming a view or folder	161

Naming tips	161	Usage Notes	191
Aliases	161	To allow users to edit documents in a view	191
Hidden views	162	To allow users to create a new document from a view	191
Shortcut keys	162	Coding notes	191
Cascading views	162	Allowing users to set colors in a view	192
Customizing the style of the inbox folder	162	Setting the color value in the profile document	192
Using a previously created style	162	Formulas that look for values in columns and views	192
Selecting an inbox style	163	Referring to views in @function formulas	193
Selecting which documents display in a view	163	Referring to columns in formulas	193
Choosing the type of view selection	163	Creating a calendar view	193
Simple Search	164	To create a calendar view	193
Formula	164	Formatting options for calendar views	194
Examples: Programming documents to display in a view	164	Troubleshooting a calendar view	195
Table of document selection conditions	164	Setting styles for a calendar view	195
Description of document selection conditions	166	Displaying views in Web applications	196
Creating columns in a view	167	Specifying how a view displays in a Web browser	196
Creating a shared column	167	Creating an embedded view or embedded folder	197
Adding titles to columns	168	Using HTML formatting for views and columns	200
Setting styles for columns	169	Displaying a view as an applet in Web applications	200
Formatting date and time columns	170	Allowing users to select view documents on the Web	203
Displaying numbers in columns	171	Opening a view with a particular frameset on the Web	203
Enabling a column for instant messaging	171	Hiding a view	203
Advanced options for columns	172	Hiding a view from Notes users	203
Adding programming to columns	173	Hiding a view from Web users	203
Table of simple functions for columns	176	Showing a view only to users of older Notes releases	204
Displaying an icon in a column	178	Refreshing view indexes	204
Sorting documents in views	179	Refresh time options	204
Overriding alphabetical sorting with a hidden column	182	Refresh display options	204
Using a column to switch to another view	183	Discard index options	205
Generating column totals, averages, and percents	183	When the view index is deleted	205
Setting styles for a standard view or folder	183	Adding a trash folder to an application	205
Display options for views	184	Trash folders in the view applet	206
Setting the view as the default	185	Adding a view for soft deletions	206
Using a view or folder as a template	185	To turn on soft deletions for a database	206
Collapsing the view to show only categories	185	Displaying and restoring soft-deleted documents	206
Organizing response documents in a hierarchy	185	DB2 query views	207
Adding a view name to the View menu	185	Query views and federated data	207
Allowing Notes users to customize a view	185	Using complex SQL queries in query views	208
Evaluating formulas when documents change	185	Prerequisites for working with Notes databases that reside in DB2	208
Creating new documents at view level	185	Creating a query view	208
Opening to a particular row in the view	185	Managing query views	210
Displaying the last-used view	186	@ functions for query views	211
Refreshing a view	186		
Page breaks in a view	186		
Adding categories to views	186		
To categorize a view	186		
Generating category names	187		
Categorizing in the All by Category view	188		
Indenting response documents	188		
Formulas for response columns	189		
Identifying unread documents	190		
Choosing a style for unread marks	190		
Choosing a color for unread marks	190		
Disabling unread marks for modified documents	190		
Default views	190		
Allowing users to edit or create documents from a view	191		
		Chapter 9. Designing navigation for an application	213
		Outlines	213
		Overview of creating a navigator	213
		Creating an outline	214
		Designing for accessibility	214
		To create a new outline	214
		To create a default outline	214
		To add a new outline entry to an outline	215

To reorder elements in an outline	215	Form events.	239
To create a hierarchy between elements.	215	Examples.	239
To delete an outline entry	215	Field events.	239
Embedding an outline	216	Examples.	240
Outline, outline entry, and embedded outline properties	216	Click events.	240
Selected outline properties	217	Examples.	240
Selected outline entry properties	217	Agent event.	240
Selected embedded outline properties	218	Creating a form, subform, page, or view action	240
Using the outline applet in Web applications	223	To create an action with subaction	241
Displaying the outline in a frameset.	224	To create system actions	242
Navigators	224	Copying and deleting actions	242
Designing for accessibility	224	Actions menu	242
Navigator objects	224	Calling an agent	242
Navigator actions	225	Action bar	242
Creating a navigator	225	Creating and inserting shared actions	244
To edit a navigator	225	To create a shared action	244
Adding graphic objects to navigators	226	To create shared action notes	245
Adding and enhancing graphics in a navigator	226	To delete a shared action note	246
Adding text to and highlighting navigator objects.	227	To insert a shared action.	246
Adding hotspots	227	To edit shared actions	246
Adding actions to navigators	228	Creating a button	246
Displaying a navigator when users open a database	230	Other button tasks.	247
Hiding navigators.	230	Creating a text pop-up	248
Embedding navigators in a form, subform, page, or document	231	Other text pop-up tasks	248
Overriding an embedded navigator with a navigator template	231	Example: Text pop-ups	248
Importing a navigator into a form, subform, page, or document	232	Creating a formula pop-up	248
Testing navigators.	232	Other formula pop-up tasks	249
Creating an imagemap	233	Creating an action hotspot	249
To create an imagemap	233	Other action hotspot tasks	249
To move a hotspot.	233	Creating a program for an event	250
To delete a hotspot from an imagemap	233	Creating an agent	250
To copy an imagemap	233	Triggering an agent on an event	251
To change the graphic for an imagemap	234	Triggering an agent on a schedule	253
		Useful agent procedures.	254
Chapter 10. Adding automation to applications	235	Examples of agents to run before Web users open or save documents	256
Actions	236	WebQueryOpen events	256
When to use actions	236	WebQuerySave events	256
Examples of actions	236	Setting up agent security using the Security tab	256
Notes on actions	236	Security for agents on servers and the Web	257
Hotspots	236	Who can create agents?	258
When to use hotspots	237	Who can run agents?	258
Examples of hotspots.	237	Private agents	258
Agents	237	Shared agents	258
When to use agents	237	LotusScript/Java agents	258
Notes on agents	238	Where can agents run?	258
Events.	238	What operations can agents run?	259
When to use event programming.	238	When are restrictions checked?	259
Examples of event programming	238	Locally on Notes	259
Types of events.	238	On the server	259
Database events	238	Foreground or background	260
Examples:	238	From the Notes client or the Web.	260
View and folder events.	239	Security controls for agents that are called by agents	260
Examples of view and folder events.	239	Troubleshooting agents	261
Examples of calendar view events	239	Testing agents	261
		To use the Test menu command	261
		To use the LotusScript debugger	261
		To create a test database.	262
		Profiling agents and Web services	262
		Viewing the agent log	263

Notes server console commands	263
Tell amgr schedule	263
tell amgr status.	264
tell amgr debug	264
Agent Manager debugging information.	264
Debug_AMgr	265
Log_AgentManager	265
NotesLog Class.	265
Agent Log limit	266
Simple actions for automation.	266
Copy to Database	266
Copy to Folder	266
Delete from Database.	267
Mark Document Read	267
Mark Document Unread.	267
Modify Field	267
Modify Fields by Form	267
Move to Folder.	268
Remove from Folder	268
Reply to Sender	268
Run Agent	268
Send Document	268
Send Mail Message	268
Send Newsletter Summary	269
@Function Formula	269
Using LotusScript for automation	269
Working with HTML.	269
Restricted LotusScript and Java agent operations	270
Table of restricted backend class and method	270
Table of restricted programming language	
operations	271
Formulas for automation	272
Using @command formulas with actions and	
hotspots	272
Security features that affect automation	
formulas	272
JavaScript for automation	273
Table of supported JavaScript objects for automated	
components	273
Actions and agents names	274
Naming tips.	274
Naming techniques	274
Aliases	274
Shortcut keys	275
Hiding automated components	275

Chapter 11. Developing applications using third-party tools and WebDAV . 277

Customizing the Designer Tools menu	277
To add a tool	277
Organizing tools on the Tools menu.	278
To add a submenu for tools	278
To move a tool to another design context	278
To copy, paste, or delete a tool:	278
To edit a tool	278
Editing and managing database resources using a	
WebDAV client.	278
Setting up WebDAV	279
Enabling design locking.	279
Notes about working with WebDAV.	279
Limitations	280

Accessing database resources using a WebDAV	
client	280
Virtual collections	280
Accessing database elements	281
Avoiding and resolving naming conflicts	281
Using WebDAV in a replicated environment	282

Chapter 12. Connecting to enterprise data . 283

Data Connection Resource (DCR).	283
@DB commands	283
Domino Enterprise Connection Services (DECS)	283
LotusScript and Java classes	284
Domino Connectors	284
Lotus Enterprise Integrator.	284
Table of connectivity solutions.	284
Overview of Data Connection Resources	285
Overview of creating a DCR	285
Establishing a data source resource for use with a	
DCR	286
Creating a database connection resource	286
To create a DCR	286
Specifying options for the data connection resource	287
Maximum number of concurrent connections	287
Block key field updates	287
Only update changed fields	287
Enable conflict detection.	287
Space trimming	287
Action on data mismatch	287
Action on missing record	287
Custom settings for specific applications	288
Enabling connections to external databases	288
Using a data connection resource on a form	288
To specify a default data connection for a form	288
To create fields for connecting with external	
data	289
Importing data from an external database into an	
application	289
Using ODBC to access relational databases	290
Files required to use ODBC.	290
Registering data sources for ODBC	290
To register a data source for ODBC in Windows	291
Setting up a view for ODBC access	291
Writing formulas and scripts to access relational	
databases.	291
The LotusScript Data Object (LS:DO)	292

Chapter 13. Including Java applets in applications . 293

Requirements and restrictions for Java applets	293
Overview of adding a Java applet to an application	293
Enabling Java applets.	294
Importing an applet	294
Getting the main class name	294
Selecting related files.	294
Importing applets packaged as CAB or ZIP files	295
Linking to an applet on the Web	295
Setting applet parameters	295
To set individual applet parameters	296
To set all applet parameters	296

Tips	296
Specifying applet parameters, attributes, and properties	296
Setting HTML attributes	297
Setting Alternate HTML attributes	297
Setting properties	297
To set applet properties	297
To hide an applet under certain conditions	298
To hide an applet based on the browser accessing it	298
Setting up shared applet resources	298
To create a shared applet resource	298
To use a shared applet resource	299
Stopping, selecting, and restarting applets	299
To stop an applet	299
To select an applet	299
To restart an applet	299
Copying and deleting applets	299
To delete an applet and its related files	300
To copy an applet	300
Refreshing and exporting applet files	300
To refresh applet files	300
To export files	300
Setting security for applets	300
To set security for applets in Notes	300
To set security for applets in Web applications	301
To extend the AppletBase class	301
Saving applet data	302
Considerations	302
Externalization	302
To set up externalization	303
Example HTML code	303
Serialization	303
To set serialization	304
Example of HTML code	304
Tips and troubleshooting for Java applets	304
Troubleshooting an applet that is not running	304
Accessing resource files	304
Specifying a full URL	305
Using getDocumentBase	305
Using getCodeBase	306
Modifying parameter values to locate resource files	306

Chapter 14. Including Java servlets in Web applications 307

Comparing agents, servlets, and CGI programs	307
What language can the program be written in?	308
Where is the program stored?	308
How is the program invoked by a Web user?	308
When is the program loaded and unloaded by the server?	308
How can the program interact with Domino?	308
What security is available for the program?	308
Running servlets in Domino	309
Writing the servlet	309
Enabling servlet support in Domino	309
Loading servlet classes with the JVM loader	310
Setting properties for servlets	311
Servlet aliases	311
Initialization arguments	311

URL extension mapping	312
Load on startup	312
Example properties file	312

Chapter 15. Including XML in Designer applications 313

What is DXL?	314
Domino applications and XML	315
Applications enhanced with XML	315
Ways to include XML in a Designer application	315
XML terminology	316
Putting XML in a form or page	317
Defining data on a form with XML elements	317
To create documents in XML format	318
Formatting XML data with stylesheets	318
Using a view to generate XML	319
Mapping XML tags to a view	319
Example	320
To map XML to a view	320
Embedding a view in a page	321
Using an agent to generate XML	321
Example: XML Agent	322
Using a Java servlet to generate XML	323
Examples of XML servlet applications	323
Creating and using a servlet	324
Including XML in a servlet	324
Viewing the XML in an application with DXL utilities	324
To view the XML for a design element	324
To export the XML for one or more design elements to a text file	324
To transform the XML for one or more design elements using an XSL	325

Chapter 16. Including OLE objects in applications 327

Linking and embedding objects in forms	327
OLE and LotusScript	328
To link an object in a form	328
To embed an object in a form	328
Adding OLE custom controls to a form	328
To create an OLE custom control object	328
Troubleshooting tips for OLE and Active X objects	329
Modifying a form to size an embedded object	330
To edit the OLE object using the properties box	330
To edit the OLE object using the properties in the programmer's pane	330
Modifying a form so that it sizes an OLE custom control	330
To edit the OLE custom control using the properties box	330
To edit the OLE custom control in the Programmer's pane	330
Expansion properties of OLE custom controls	331
Modifying a form to run a custom control in Read mode	331
Updating objects by document	331
To modify properties using the properties box	331
To modify properties using the properties sheet in the Programmer's pane	332

Launching objects automatically	332
Launch an object automatically	332
Launch a new object automatically	332
Launch an object in-place or out-of-place	332
Define the conditions under which objects are launched	332
Use the form open in a modal dialog box to create documents	332
Hide the Notes document	332
Hide the original embedded object in documents	333
Designing forms that launch objects automatically	333
Launching an object "in-place" or "out-of-place"	334
Specifying the event that causes an object to autolaunch	334
Designing a form that launches an object from modal dialog boxes	335
Designing a form to hide the Notes document	335
When you can hide the Notes document	335
Mixing Hide/Show options	335
To hide a Notes document	336
Example	336
Hiding an embedded object in a document	337
Publishing actions	337
When an action executes	337
"Bring document window to front" property	337
To publish an action	338
Examples	338
Exchanging field data	338
One-way fields	338
Two-way fields	339
User-defined fields	339
Preparing a form to exchange data	339
Table of one-way and two-way field exchange	339
To enable field exchange	339
To set up field exchange	340
Example of exchanging data for an expense form	340
Chapter 17. Creating a workflow application	343
Examples of workflow applications	343
Planning workflow	343
Central shared databases	343
Individual mail databases	344
Setting up automatic mailing	344
Sending links to documents	344
Sending documents	344
Enabling users to view documents	345
Forwarding documents in a mail memo	345
Sending replies to a mail memo	345
Mailing features and Web applications	345
Displaying the Mail Send dialog box	345
Creating a database that receives mailings	345
Example of using an agent that sends automatic replies	346
Example of using an agent that mails action item notices	346
Example of using an agent that sends announcements	347

Chapter 18. Enabling an application for Domino Off-Line Services	349
Overview of DOLS developer tasks	349
Copying DOLS design elements into the main database	349
Customizing how users install the DOLS subscription	350
Using the Web Control	350
Using an icon	351
Configuring the DOLS subscription	351
To edit the configuration document	352
Creating multiple database DOLS subscriptions	357
Optional tasks for DOLS developers	358
Creating custom file sets for a DOLS subscription	358
Customizing fields and design elements in a DOLS subscription	359
Adding a directory catalog to a DOLS subscription	362
Adding time zones to a DOLS subscription	363
Setting a sort order for a DOLS subscription	363
Chapter 19. Security in an application	365
The database access control list	365
Setting up a database ACL	365
Access levels in the ACL	366
Access level privileges in the ACL	366
Roles in the ACL	370
Editing the database ACL	372
Default ACL entries	372
Acceptable entries in the ACL	373
User types in the ACL	378
Enforcing a consistent access control list	379
Displaying the ACL history	380
To display a name's effective access	380
Security overview for Web applications	380
Application design element security	383
Controlling access to a database during design	383
Restricting who can read or edit documents	384
Using a Readers field to restrict access to specific documents	384
Using an Authors field to restrict who can edit specific documents	384
To create Readers and Authors fields	385
Tracking who edits a document	386
Updating Readers and Authors fields	386
Setting up the Administration Process for databases	387
Creating controlled-access sections of forms	387
Examples of access-controlled sections	388
Limiting Editor access to sections of forms	388
Creating read access lists to limit view and folder access	389
Creating write access lists to limit folder access	390
Access-controlled forms and documents	390
Creating public access pages, forms, subforms, outlines, views, agents, and style sheets	391
Notes and Domino encryption	392
Database encryption	393
To encrypt a database	393

Encrypting documents and fields	394
Procedural overview: encrypting documents	395
Enabling encryption for a field	395
Creating secret encryption keys	396
Distributing secret encryption keys	396
Merging secret encryption keys	397
To create a field that maintains a list of secret encryption keys	398
Managing encrypted information	398
To encrypt all documents automatically	399
Using electronic signatures in Notes applications	400
Attaching signatures to documents	401

Chapter 20. Completing an application and managing design changes 403

Creating a database icon for a Notes application	403
To paste an icon into a database	403
To create a new icon	403
Providing online Help for an application	404
Creating "Using Database" and "About Database" documents	404
The "About Database" document	404
The "Using Database" document	404
To create a document	405
To automatically display the "About Database" document	405
Creating context-sensitive Help for an application	405
Writing Help for fields	406
Tips for writing Help for fields	406
To write field Help	406
To write pop-up text for a field	406
To write a field hint	407
Examples	407
Creating and displaying more detailed application Help	407
To create a Help form	407
Specifying a home page in the Web site document	407
Restricting design changes	408
Checking the application design before release	408
Checking form design	409
Checking field design	409
Checking view design	410
Checking columns	411
Making a design copy of a completed application	411
Pilot testing an application	412
To pilot test an application	412
Renaming a database	413
Renaming design elements	413
Design synopsis	413
To create a design synopsis	413
Updating documents after redesigning a form	414
Form changes that don't require updates to existing documents	414
Form changes that require updates to existing documents	415
Checking field values in a document	415
To check field values in a document:	415
Using agents to update documents affected by form changes	415
To edit and resave documents	416
To add a field	416

To remove field data from all documents	416
To rename a field	416
To reassign documents to another form	416
To remove the stored form from documents	416
To specify a form to display documents	417
To recover additional space	417
Changing database and design properties	417
To change a database's properties	417
To change a design element's properties	417
Setting database launch properties	418
To set the database launch property	418
If you choose to launch a doclink	418
To launch a Page from the Notes client	419
Displaying a document preview automatically	419
Templates	419
To convert a database to a template	419
Naming conventions	420
Creating templates	420
Creating a design library template	422
Linking a database to a template	423
Linking individual design elements to a template	424
Synchronizing databases with master templates	424
Making and distributing design changes	425
Refreshing a design	426
Automatically refreshing a design	426
Manually refreshing a design	427
Components that are not refreshed	427
Components that are refreshed	427
Refreshing a design manually	427
Replacing a design	428
Components that are not replaced during Replace Design	428
Components that are replaced during Replace Design	428
To replace the design of a database	429
Design changes and replication	429
Templates and replication	429
Preventing design changes	429
To protect individual design elements from being replaced or refreshed	429
To unlink individual design elements from a template	430
To unlink a database from a template	430
Modifying multiple design elements	430
Hiding the design of a database	431
To hide the design of a database	431
Building in access to agents before hiding the design	431
Hiding design elements	432
"Hide design element from"	432
"Do not show this design element in menus of Notes R4 or later clients"	432
To hide design elements	432
Locking a design element	432
To enable design element locking	433
To lock a design element	433
To unlock a design element	433
To disable design element locking	433

Chapter 21. Deploying an application 435

Rolling out a database	435
Mandatory tasks	435
Optional tasks	436
Copying a new database to a server	437
To copy a new database to a server	437
Setting up replication for an application	438
Creating one replica manually	438
Replication settings	439
Limiting the contents of a replica	440
Assigning miscellaneous replication settings	442
Limiting what a replica sends	443
Specifying replication settings	443
Examples of specifying replication settings for multiple replicas	444
Disabling and enabling replication of a database	446
To disable replication of one database	446
To disable replication of multiple databases	446
Forcing a server database to replicate	447
To force replication from the server console	447
To force replication from the database	447
Chapter 22. Optimizing and troubleshooting databases	449
Properties that improve database performance	449
Display images after documents	449
Prevent the use of stored forms	449
Don't maintain unread marks	449
Associate document tables with forms for view updates	450
Prevent overwriting of deleted data	450
Don't maintain "Accessed (In this file)" document property	450
Disable specialized response hierarchy information	451
Disable transaction logging	451
Prevent headline monitoring	451
Allow more fields in a database	452
Use LZ1 compression for attachments	452
Limit the size of \$UpdatedBy fields	452
Limit the size of \$Revisions fields	452
Specify expiration time for soft deletions	452
To set database properties that optimize database performance	453
Controlling database size	454
Monitoring database size	454
Compacting databases	454
Document archiving tool	456
To enable database archiving	456
Archive Settings	456
Viewing a document Archiving Log	457
Using an agent to delete and archive documents	457
Monitoring replication of a database	458
The database replication history	458
Viewing replication events in the log file	459
Replication or save conflicts	460
Consolidating replication or save conflicts	460
Monitoring database activity	461
How the Statlog task generates activity statistics	461
Viewing database activity statistics generated by the Statlog task	462

Managing database activity recording in databases	463
Updating database indexes and views	463
Notifying users of a moved database	464
Adding a button to open a database	464
Troubleshooting database performance	464
Users cannot access the database	464
Users experience a delay when accessing the database	465
Using Find Note to analyze a document reported in the log file	466
Troubleshooting replication problems	466
A database replica does not contain all the documents it should	466
A database replica is not receiving design changes	467
Changes to the database title do not replicate	467
Database replicas are different sizes	467
The database stops replicating	468
The database replica has not received ACL changes	468
The new replica contains the ACL of the source server but you did not copy the ACL	468
You see the message "Database is not fully initialized yet"	468
Deletions are not replicating	469
Unexpected deletions occur in a replica	469
Deleted documents reappear	469

Chapter 23. DB2 Access views	471
Prerequisites for working with Notes databases that reside in DB2	472
DAV security	472
Creating a DAV	473
Viewing the status of your DAV	475
Managing DAVs	475
In Designer	476
In DB2	476
Troubleshooting DAVs	476
ACLs needed for DAVs	476
Errors using the Select statement	476
Exporting TIMEDATES to DAVs	477
Inserting date ranges in a DAV	477
Unknown host error	477
Updatable cursors do not work	477
Using GMT TimeDates with Query Views based on DAVs	477

Appendix A. Domino Designer templates	479
Table of Domino Designer templates	479

Appendix B. Importing to and exporting from views	481
File formats you can export and import	481
Importing options	481
Formatting options	481
Including additional fields for imported documents	481
Character translation file	482

Importing worksheets	482
To import worksheet data into a view	482
Importing tabular text	482
Viewing imported text	483
To import tabular text into a view	483
Importing structured text files	483
To import structured text into a view	483
Creating a column descriptor (COL) file	484
Using a column descriptor file (COL) to map a source file to a Notes view	484
Mapping a column to a field in a view	484
Specifying the data type of a column	484
Using formulas	485
Writing a COL file for a worksheet	485
WKSCOL.	485
RANGE	485
Writing a COL file for a tabular text file	486
Specifying the delimiter of a column	486
Specifying the start, end, and width of a fixed-width column	486
Specifying the header, footer, and lines per page	486
Writing formulas for COL files	487
Example	487
Exporting views	487
Exporting to an ASCII file with comma separated values	487
Notes on exporting as a CSV file	487
Exporting to a worksheet	487
Exporting to a tabular text file.	488
Exporting to a structured text file.	488
To export a view	488
Delimiter and word wrap settings	488

Appendix C. Developing applications using MAPI. 491

The Address Book provider	491
The Message Store provider	491
The Message Transport provider	492
MAPI recipient types.	492
Platforms and requirements for MAPI	492
Windows 98	492
Windows NT 3.51	492
Windows NT 4.0	492
Windows 2000	492
Mail	492
Address Book template	493
MAPI classes and methods.	493

Appendix D. Features to avoid using in Web applications . . . 495

Domino @functions that are not supported on the Web	495
Domino actions and agent properties that are not supported on the Web	496
Domino calendar features that are not supported on the Web	496
Domino field properties that are not supported on the Web	497
Domino form properties that are not supported on the Web	497

Domino formatting features that are not supported on the Web	498
Domino frame properties that are not supported on the Web	498
Domino horizontal rule properties that are not supported on the Web	499
Domino hotspot properties that are not supported on the Web	499
Domino navigator properties that are not supported on the Web	499
Domino table properties that are not supported on the Web	499
Domino text styles that are not supported on the Web	500
Domino view and folder properties that are not supported on the Web	500
Features that are not supported by the Domino view applet	501

Appendix E. URL commands for Web applications . . . 503

Domino URL Commands	503
The Domino URL command syntax	503
Syntax Guidelines	503
URL commands for opening servers, databases, and views	505
Redirect	505
Syntax.	505
Example	505
OpenDatabase	505
Syntax.	505
Examples.	506
OpenView	506
Syntax.	506
Examples.	506
Optional arguments for OpenView	506
Examples.	507
ReadViewEntries	507
Syntax.	507
Examples.	507
Optional arguments for ReadViewEntries	507
Examples.	509
OpenAbout	509
Syntax.	509
Example	509
OpenHelp	509
Syntax.	510
Example	510
OpenIcon.	510
Syntax.	510
Example	510
URL commands for opening framesets	510
OpenFrameset	510
Syntax.	510
Examples.	510
URL commands for opening agents, forms, and navigators	510
OpenAgent	510
Syntax.	510
Examples.	510
OpenForm	511

Syntax	511	Syntax	517
Examples	511	Optional argument forOpenElement	517
Optional argument forOpenForm	511	Using OpenElement with OLE Objects	518
Syntax	511	Syntax	518
Example	511	URL commands for searching for text	518
OpenNavigator	511	SearchDomain	518
Syntax	511	Syntax	518
Examples	511	Example	518
ReadForm	511	Redirect	518
Syntax	511	SearchSite	518
Examples	512	Syntax	519
URL commands for opening resources	512	Example	519
OpenImageResource	512	SearchView	519
Syntax	512	Syntax	519
Examples	512	Example	519
OpenFileResource	512	Optional arguments for SearchSite, SearchView, and SearchDomain	519
Syntax	512	Examples	520
Examples	512	URL search syntax and customized results	520
URL commands for creating, deleting, editing, opening, and saving documents	512	Start and Count parameters	521
CreateDocument	512	Syntax	521
Syntax	513	Examples	521
Examples	513	Using Next and Previous buttons or hotspots with Start and Count parameters	521
DeleteDocument	513	Example of a formula for a Next button or hotspot	521
Syntax	513	Example of a formula for a Previous button or hotspot	521
Example	513	URL commands for required authentication	522
EditDocument	513	Login argument	522
Syntax	513	Syntax	522
Example	513	Examples	522
OpenDocument	513	Logout command	522
Syntax	513	Syntax	522
Examples	514	Examples	522
SaveDocument	514	URL commands for processing SSL certificates	522
Syntax	514	OpenForm with SpecialAction argument	522
Example	514	Syntax	522
URL commands for opening documents by key	514	Examples	523
Using Domino URLs to access a document	514	Creating an SSL User Certificate	523
Syntax	514	Syntax	523
Examples	515	Example	523
Using @commands to link to a document	515	Optional and required fields	523
Using Domino URLs to access attachments	515	Creating an SSL Server Certificate Request	524
URL commands for opening pages	515	Syntax	524
OpenPage	515	Example	524
Syntax	515	Optional and required fields	524
Examples	515	URL commands for setting user preferences in Web applications	524
Optional arguments for OpenPage and OpenDocument	515	OpenPreferences	525
Syntax	516	Syntax	525
Examples	516	Examples	525
Syntax	516	Optional arguments for OpenPreferences	525
Examples	516	Managing multilingual input in a single database	527
Arguments	516	Syntax	527
Syntax	516	Usage	527
Examples	517	Example	527
URL commands for opening attachments, image files, and OLE objects	517	Perl Scripts	528
OpenElement	517	Common Gateway Interface (CGI) programs	528
Using OpenElement with attachments	517	Running a CGI program	528
Syntax	517	CGI variables	528
Example	517		
Using OpenElement with image files	517		

Creating a field with the name of the CGI variable	528
Table of CGI variable names	529
Appendix F. Accessibility and Keyboard Shortcuts	531
Accessibility and keyboard shortcuts	531
Enabling and using extended accelerator keys	531
To enable extended accelerators for the Bookmark bar	531
To use extended accelerators in the Bookmark bar	531
To enable keyboard navigation of window tabs	531
To use extended accelerators in window tabs	531
Keyboard shortcuts	532
Keyboard shortcuts for the Designer interface and windows	532

Keyboard shortcuts for databases.	533
Keyboard shortcuts for dialog boxes.	533
Keyboard shortcuts for properties boxes	534
Keyboard shortcuts for documents	534
Keyboard shortcuts to select and move text in a document	535
Keyboard shortcuts to move the cursor in a document	536
Keyboard shortcuts to change text and paragraph properties in a document	536
Keyboard shortcuts to navigate within views, folders, and panes.	537
Keyboard shortcuts when working in views	537

Index	539
------------------------	------------